



CERTIFICATE OF ANALYSIS

FETAL BOVINE SERUM

Premium

Lot No: K17142

Catalog No: S 11195 (50 ml size)
S 11110 (100 ml size)
S 11150 (500 ml size)

triple 0.1 µm filter processed serum

Expiration Date: October 2022

Store Frozen at: -5°C to -20°C

Notice: We collect and process our serum rapidly at cold temperatures to yield the highest quality serum with excellent cell growth properties. This cold processing leaves some fibrinogen in the serum which may convert to fibrin upon storage, thawing, or heat-inactivation. Fibrin can cause the serum to look slightly turbid or may be visible as a flocculent material. This material does not adversely affect the growth performance characteristics of the serum.

TEST	SPECIFICATION	RESULT
Bacterial and Fungal Testing (U.S.P. Atlanta Biologicals Modified)	NOT DETECTED	NOT DETECTED
Mycoplasma Testing (Large Volume Barile Method)	NOT DETECTED	NOT DETECTED
Mycoplasma Testing, Supplemental (DNA Fluorochrome Stain)	NOT DETECTED	NOT DETECTED
Virus Testing (Modified 9CFR)	TEST	TESTED
BVDV - Fluorescent Antibody	TEST AND REPORT	NOT DETECTED
Cytopathogenic Agents- e.g. IBRV	TEST AND REPORT	NOT DETECTED
Hemadsorbing Agents - e.g. PI-3V	NOT DETECTED	NOT DETECTED
BTV		
Cell Culture Testing	PASS	PASS
pH	6.8 - 7.8	7.3
Osmolality (Vapor Pressure)	280 - 335 mOsm	310.6 mOsm
Endotoxin (Limulus Amebocyte Lysate Gel Clot)	≤ 50.0 EU/ml	< 0.06 EU/ml
Hemoglobin (Spectrophotometric)	≤ 25 mg/dl	15.9 mg/dl

This product is manufactured for research and development purposes only. It is not intended for any human or animal diagnostic, therapeutic or other clinical uses. It is also not for agricultural, food, drug, cosmetic or household use. The use of these products must be supervised by a person technically qualified to handle potentially hazardous material.



FETAL BOVINE SERUM

Premium

Lot No: K17142

Catalog No: S 11195 (50 ml size)
S 11110 (100 ml size)
S 11150 (500 ml size)

BIOCHEMICAL PROFILE	SPECIFICATION	RESULT
Total Protein	3.0 to 4.6 g/dl	3.6 g/dl
Albumin	check and record	2.4 g/dl
Globulin	check and record	1.2 g/dl
A/G ratio	check and record	2.0
IgG	check and record	18.0 mg/dl
ALT/SGPT	check and record	10.0 IU/l
Alkaline Phosphatase	check and record	310.0 IU/l
Total Bilirubin	check and record	0.1 mg/dl
Iron	check and record	165.0 µg/dl
UIBC	check and record	74.0 µg/dl
Cholesterol	check and record	33.0 mg/dl
Triglycerides	check and record	63.0 mg/dl
Glucose	check and record	75.0 mg/dl
Blood Urea Nitrogen (BUN)	check and record	20.0 mg/dl
Creatinine	check and record	2.8 mg/dl
BUN/Creatinine Ratio	check and record	7.0
Uric Acid	check and record	1.0 mg/dl
Sodium	check and record	140.0 meq/l
Potassium	check and record	11.6 meq/l
Sodium/Potassium Ratio	check and record	12.1
Chloride	check and record	105.0 meq/l
Calcium	check and record	12.9 mg/dl
Phosphorus	check and record	9.8 mg/dl
Magnesium	check and record	3.3 mg/dl
Bicarbonate	check and record	18.0 mmol/l

This product is manufactured for research and development purposes only. It is not intended for any human or animal diagnostic, therapeutic or other clinical uses. It is also not for agricultural, food, drug, cosmetic or household use. The use of these products must be supervised by a person technically qualified to handle potentially hazardous material.



products for all your **cell culture** needs

www.atlantabio.com

FETAL BOVINE SERUM

Premium

Lot No: K17142

Catalog No: S 11195 (50 ml size)
S 11110 (100 ml size)
S 11150 (500 ml size)

The Fetal Bovine Serum used in Atlanta Biologicals' manufacturing process is certified as meeting all of the U.S.D.A. requirements for donor animal health, country of origin, and traceability of the product.

Origin: The Fetal Bovine Serum is collected in U.S.D.A. approved slaughterhouses or in countries certified by the U.S.D.A. to be free of Foot and Mouth Disease (FMD), Bovine Spongiform Encephalopathy (BSE) and other exotic disease agents. All imported serum used for manufacturing purposes is tested and approved by the U.S.D.A. for distribution in the United States.

Donor Animals: All fetal blood is collected from fetuses derived from healthy animals. The donor dams must pass both ante- and post-mortem certified veterinary inspections before collection of the fetal blood.

Traceability: All of the Fetal Bovine Serum is traceable back to the date and location of collection.

Signature On File

Quality Control Department

November 27, 2017

Date

This product is manufactured for research and development purposes only. It is not intended for any human or animal diagnostic, therapeutic or other clinical uses. It is also not for agricultural, food, drug, cosmetic or household use. The use of these products must be supervised by a person technically qualified to handle potentially hazardous material.

Address: 4172 Industry Way
Flowery Branch, GA 30542

Phone: (800) 780-7788
(770) 446-3336

Fax: (800) 780-7374
(770) 446-3332